

**THE ECOGEM
LED DIMMABLE
DOWNLIGHTS**
S9041 TC & S9041 TC S



ROUND OR SQUARE A VERY EASY CHOICE



S9041 TC S SN



S9041 TC WH



Application: Residential and commercial interior spaces, ideal for home or office applications

Design:

- Designed with a 92mm diameter cut-out suitable for a circular or square trim
- On board selectable colour temperature DIP switch
- Remote constant current dimmable driver
- Energy efficient 10 watt LED system

Dimensions (mm):

S9041 TC – Ø103 x 40mm hm

S9041 TC S – Ø104 x 104 x 40mm hm

TC SELECTABLE COLOUR		
WARM WHITE 3000K 800lm	COOL WHITE 4200K 900lm	DAYLIGHT 5700K 850lm




Performance:

- IP44 from below the ceiling
- Wide beam 90 degree beam distribution
- Dimmable with trailing edge dimmers
- Selectable CCT 3000k, 4200k or 5700k, CRI >80
- Optical performance of 800, 900, 850lm
- IC-4 rated
- RCM registered



IC-4



SAL

THE ECOGEM LED DIMMABLE DOWNLIGHTS S9041 TC & S9041 TC S

ORDERING SPECIFICATION

Model No.	Wattage (W)	Lumens (lm)
S9041 TC WH	10	800/900/850
S9041 TC S WH	10	800/900/850
S9041 TC S SN	10	800/900/850

Accessories

Satin Nickel ring	S9041 SN RING
Black ring	S9041 BK RING
Silver ring	S9041 SL RING

Warranty - 3 years commercial use, 5 years residential use



S9041 TC S WH



S9041 TC S SN



S9041 TC WH



SAL

SINCE 1998

OUR SUCCESS IS MEASURED BY OUR CUSTOMERS SUCCESS™



Issue June 2018 copyright SAL